



ID1354

Internet Applications

CSS

Leif Lindbäck, Nima Dokoochaki

leifl@kth.se, nimad@kth.se

SCS/ICT/KTH

What is CSS?

- **Cascading Style Sheets**, CSS provide the means to control and change **presentation of HTML documents**.
- A style sheet (CSS code) is a syntactic mechanism for specifying **style information**.
- Style sheets allow you to impose a standard style on a whole document, or even a whole **collection of documents**.
- Style is specified for **tags** by the values of its **properties**.

Use CSS for Layout!


- Remember, **HTML** is for defining **content**, **not** for defining format or layout.
- **CSS** is the means to define page **layout** and how HTML elements are displayed.
- Style sheets enables modifying the appearance of an entire web site, just by editing a single file!

Current CSS Versions

- **CSS2.1** is supported by all major browsers.
- **CSS3** adds lots of new features and is also fully backwards compatible.
- Do not rely on CSS3 to be fully implemented in all browsers. Check for example at <http://caniuse.com>.

A First Look

- This example will be discussed in detail later in the presentation.
- A sample CSS **rule** is displayed below.
 - The **selector** defines which element(s) is affected by the rule.
 - The **declaration block** contains **property/value** pairs separated by semicolon. Each such pair defines some appearance of the selected element(s).



Levels of Style Sheets

There are **three levels** of style sheets

1. **Inline** - specified as attributes for a tag, apply only to that tag.
 - **Avoid this!** Using inline tags means duplicated code since rules must be repeated for each tag.
2. **Document-level style sheets** or **internal style sheets** – specified in a HTML document and apply only to that document.
 - **Avoid this!** Using internal tags means duplicated code since rules must be repeated for each document.
3. **External style sheets** - applied to any number of documents.
 - **Use only this level!** The same CSS rules are applied to all relevant HTML files.

When more than one style sheet applies to a specific tag in a document, the lowest level (inline) style sheet has precedence

External Style Sheets

- External style sheets are **separate files**, potentially on any server on the Internet. Such files shall have the extension **.css**.
- A **<link>** tag in a HTML document specifies that the browser is to fetch and use an external style sheet.

```
<link rel = "stylesheet"   type = "text/css"  
      href = "mystyles.css"/>
```

CSS Syntax

- **Comments** are enclosed between `/*` and `*/`
`/* this is a comment. */`
- Comments may span multiple lines.
- A style sheet (CSS file) contains a **list of style rules**, with the syntax specified in the initial example above.

```
hr {color:sienna;}  
p {margin-left:20px;}  
body {background-image:url("images/back40.gif");}
```


CSS Errors

- CSS rules with syntax errors or invalid property or value names are **silently ignored**.
- This might cause much extra work.
- **Always validate your CSS files!** Use for example the W3C CSS validator, <http://jigsaw.w3.org/css-validator/>

Linking to a Style Sheet


- In a HTML file:

```
<head>  
  <link rel="stylesheet" type="text/css"  
        href="styles/mystyle.css">  
</head>
```

- In the style sheet `mystyle.css`

```
hr {color:sienna;}  
p {margin-left:20px;}  
body {background-image:url("images/back40.gif");}
```

Selectors

- The first part of a CSS rule is a **selector**:  {color:red; text-align :center;}
selector
- Determines to **which elements** the rule applies.
- There are many **different types** of selectors.

Element Selector

- The selector is an **element name** or a list of element names, separated by commas.
- The rule applies to all elements with the specified name(s).
- Examples:
 - **h1 , h3**
 - **p**

Id Selector

- An id is a logical name for a specific element.
- To specify that a HTML element has a specific id, use the `id` attribute of that element.

```
<p id="first"> some text </p>
```

The following selector matches all elements with id `wide`, independent of element type.

```
#wide
```

- The following selector matches all elements with id `wide` and type `<p>`.

```
p#wide
```

Class Selector

- A **class** is a logical group of elements.
- To specify that a HTML element belongs to a specific class, use the **class** attribute of that element.

```
<p class="wide"> some text </p>
```

- The following selector matches all elements of class **wide**, independent of element type.

```
.wide
```

- The following selector matches all elements of class **wide** and type **<p>**.

```
p.wide
```

Pseudo-Class Selector

- A **pseudo-class** is a condition, all elements that meet the condition are members of the pseudo-class.
- It is not possible to define new pseudo-classes, but there are many **predefined**. Some examples are:
 - :link** unvisited links
 - :visited** visited links
 - :hover** applies when the mouse is placed over the element.
 - :active** applies while the user is clicking the element.
 - :focus** applies when the element has keyboard or mouse focus.
 - :enabled** applies to enabled UI components (e.g. buttons).
 - :disabled** applies to disabled UI components (e.g. buttons).
- The following selector matches all elements of pseudo-class **:link**, independent of element type.
:link

Combining Selectors

- Selectors are **combined** by writing them **in sequence**, separated by a **combinator**.
- The **descendant** combinator, whitespace, describes an element that is **nested** inside another element. It is independent of nesting level. The CSS selector

`div input`

(note the whitespace between the tags) applies to the **input** element in the HTML code below.

```
<div ... >
  <form ... >
    <input ... />
    ...
  </form>
</div>
```


Combining Selectors (Cont'd)

- The **child** combinator, `>`, describes an element that is **nested directly** inside another element. The CSS selector

`div>input`

does not apply to the `input` element in the HTML below, but the following selector does:

`form>input`

```
<div ... >
  <form ... >
    <input ... />
    ...
  </form>
</div>
```

Combining Selectors (Cont'd)

- **Multiple** selectors can be combined.
- For example, `div form>input#username` means an `input` element with id `username` that is a child of a `form` which is a descendant of a `div`.

Selector Wildcard

- The element name in all types of selectors can be replaced by the wildcard character, `*`, which matches all elements.
- `div>*>input` means an `input` element that is a child of any element which is a child of a `div`.


More Selectors

- There are **many** more selectors.
- A listing can be found at
`http://www.w3.org/TR/selectors/#selectors`

Properties

- CSS2.1 includes **60** different properties in **7** categories:

- Fonts
- Lists
- Alignment of text
- Margins
- Colors
- Backgrounds
- Borders



- Full list here:

<http://www.w3.org/TR/CSS21/propidx.html>

- **CSS3 adds many more**, for example animations, columns and graphic transforms.
- Property names are not case sensitive.

Property Values

- A property value can be a keyword, length, URL or color.
 - **Keywords**, for example `left`, `small`, `green`, are not case sensitive.
 - A **length** is a number, maybe with decimal points, plus a unit.
 - **Units**:
 - `%` - percentage
 - `px` - pixels
 - `in` - inches
 - `cm` - centimeters
 - `mm` - millimeters
 - `pt` - points (1pt = 1/72 inch)
 - `pc` - picas (12 points)
 - `em` - 1em is equal to the current font size. E.g., if an element is displayed with a font of 12 pt, then 2em is 24 pt. **Very useful** since it adapts to font size.
 - `ex` - is the x-height of a font (x-height is usually about half the font-size)

Property Values (Cont'd)

- A **URL** has the form:
`url(protocol://server/pathname)`
- There are many ways to specify a **color**, for example a **color name** or a **rgb value**.
- **Standard colors**, guaranteed to be displayable by all graphical browsers on all color monitors, are aqua, black, blue, fuchsia, gray, green, lime, maroon, navy, olive, orange, purple, red, silver, teal, white, and yellow.
- A **rgb value** is a hex, `#XXXXXX`, or numeric, `rgb(n1, n2, n3)`, where `n1`, `n2`, `n3` are decimal or percentages.

Font Properties, Font Family

- The property name is **font-family**
- Value is a **list of font names**. Start with the **preferred font**, add **fallback fonts** and end with a **generic font** name.
 - Browser uses the first in the list it has.
 - Example:
`font-family: "Times New Roman", Times, serif;`
- **Commonly used font combinations** can be found at http://www.w3schools.com/cssref/css_websafe_fonts.asp
- Generic fonts: **serif**, **sans-serif**, **cursive**, **fantasy**, and **monospace**
- If a font name has more than one word, it should be quoted, e.g., **"Times New Roman"**.

Font Properties, Size

- The property name is **font-size**
 - Possible values: a **length** or a **name**, such as **smaller**, **xx-large**, etc.
 - Percentages and **em** are the **best length units** since they are relative.
 - **Default text size** in browsers is 16px, therefore, default size of 1em is 16px.

Font Properties, Style

- The property name is **font-style**
- Some possible values are **italic**,
normal

Font Properties, Weight

- The property name is **font-weight**, specifies degree of boldness.
- Some possible values are **bolder**, **lighter**, **bold**, **normal**

Font Properties, Shorthand

- The property **font** can be used as a **shorthand** for specifying a **list** of font properties:

font: bolder 14pt Arial Helvetica

- Order must be: style, weight, size, name(s)


List properties, Bullet Type

- Property name is `list-style-type`
- *Unordered lists*
 - Bullet can be a disc (default), a square, or a circle

`list-style-type: disc`

`list-style-type: square`

`list-style-type: circle`



List properties, Bullet Type (Cont'd)

- Could use an image for the bullets in an unordered list

- Example:

```
list-style-image:url('sqpurple.gif');
```

- Coffee
- Tea
- Coca Cola

List Properties, Numbering

- *On ordered lists, **list-style-type** can be used to change the sequence values.*

Property value	Sequence type	First four
decimal	Arabic numerals	1, 2, 3, 4
Upper-alpha	Uc letters	A, B, C, D
lower-alpha	Lc letters	a, b, c, d
upper-roman	Uc Roman	I, II, III, IV
lower-roman	Lc Roman	i, ii, iii, iv

Text Alignment

- The **text-indent** property controls **indentation**
 - Takes either a length or a % value
- The **text-align** property controls **alignment** and has the possible values, **left** (the default), **center**, **right**, or **justify**
- Sometimes we want text to **flow around** another element, use the **float** property for that.
- The **float** property has the possible values, **left**, **right**, and **none** (the default)
- If we have an element we want on the right, with text flowing on its left, we use the default **text-align** value (**left**) for the text and the **right** value for **float** on the element we want on the right

Text Alignment (Cont'd)

- The image has the property **float: right**
- The text has the property **text-align: left**

This is a picture of a Cessna 210. The 210 is the flagship single-engine Cessna aircraft. Although the 210 began as a four-place aircraft, it soon acquired a third row of seats, stretching it to a six-place plane. The 210 is classified as a high performance airplane, which means its landing gear is retractable and its engine has more than 200 horsepower. In its first model year, which was 1960, the 210 was powered by a 260 horsepower fuel-injected six-cylinder engine that displaced 471 cubic inches. The 210 is the fastest single-engine airplane ever built by Cessna.



Color Properties

- The **color** property specifies the foreground color.

```
th.red {color: red}  
th.orange {color: orange}
```

```
<table>  
  <tr>  
    <th class = "red"> Apple </th>  
    <th class = "orange"> Orange </th>  
  </tr>  
</table>
```

- The **background-color** property specifies the background color.

Background Images


- **Specified** with the **background-image** property.
- **Repetition** is controlled with the **background-repeat** property, which has the values **repeat** (default), **no-repeat**, **repeat-x**, or **repeat-y**
- **Positioning** is controlled with the **background-position** property, which has the values **top**, **center**, **bottom**, **left**, or **right**

The Box Model

- All **HTML elements** are considered as **boxes** by CSS.
- The box model allows placing a **border around** elements and **space between** elements.

The Box Model (Cont'd)

- The **margin** clears an area around the border. It is completely transparent.
- The **border** goes around the padding and content. The border is affected by the background color of the box.
- The **padding** clears an area around the content. It is affected by the background color of the box.
- The **content** is the content of the box, e.g., text, images, other boxes.



Box Model, Margin

- The margin is the **space** between the border of an element and its neighbor element
- The margins around an element can be set with `margin-left`, etc.
- The image below has the following properties.

```
float: right;  
margin-left: 0.35in;  
margin-bottom: 0.35in"
```

This is a picture of a Cessna 210. The 210 is the flagship single-engine Cessna aircraft.

Although the 210 began as a four-place aircraft, it soon acquired a third row of seats, stretching it to a six-place plane. The 210 is classified as a high performance airplane, which means its landing gear is retractable and its engine has more than 200

horsepower. In its first model year, which was 1960, the 210 was powered by a 260 horsepower fuel-injected six-cylinder engine that displaced 471 cubic inches. The 210 is the fastest single-engine airplane ever built by Cessna.



Box Model, Border

- Border is specified with the **border-style** property, which controls whether the element has a border and, if so, the **style of the border**
- Some possible values are **none**, **solid**, **dotted**, **dashed**, and **double**
- The **border width** is specified with the **border-width** property, which can have the values **thin**, **medium** (default), **thick**, or a length value in pixels.
 - Can be specified for any of the four borders, e.g., **border-top-width**.
- Border color is specified with the **border-color** property.
 - Can be specified for any of the four borders, e.g., **border-top-color**.
- As for many other properties, there is a shorthand:
border: thin solid black

Box Model, Padding

- The padding is the distance between the content of an element and its border
- Controlled by **padding**, **padding-left**, etc.

Box Model, Content

- The height and width properties of an element specifies the **size of the content**.
- Margin, border and padding is outside the specified size.
- Height and width is set with the properties **height, max-height, min-height** and corresponding for width.

Display and Visibility

- The **display** property specifies if/how an element is **displayed**. The rule **display:none** hides the element, and it does not take up any space.
- **display** can also control **how and where** the element is rendered.
- The **visibility** property specifies if an element is **visible or hidden**. The rule **visibility:hidden** hides the element, but it still takes up the same space as when visible.
- **visibility** only decides if the element is **visible or not**.

HTML Repetition: Block and Inline Elements

- A block element takes up the **full width** available, and has a **line break** before and after it.
Examples: `<h1>`, `<p>`, ``, `<table>`
- **Page layout** is managed by positioning block elements using CSS.
- A `<div>` is a block element that has no other purpose than to **define a block**. It is often used for layout.
- The 'opposite' of block element is **inline element**, which **does not force line breaks** and occupies only the **necessary width**.
Examples: `<td>`, `<a>`, ``
- A `` is an inline element that has no other purpose than to **define the element**. It is also often used for layout.

Block and Inline Elements (Cont'd)

- To get the desired layout, an element can be changed between block and inline.

```
li {  
    display: inline;  
}
```

```
span {  
    display: block;  
}
```

Positioning Elements

- Positioning is quite tricky in CSS.
- Elements are positioned using the **top**, **bottom**, **left**, and **right** properties.
- How these four properties work depend on the value of the **position** property.
- There are four different **positioning methods**, which are values of the **position** property: **static**, **fixed**, **relative**, and **absolute**.

Static Positioning

- Static is the **default positioning** method.
- **top**, **bottom**, **left**, and **right** properties have no effect.
- Elements are positioned according to **normal page flow**, which has different meaning for block and inline elements.
- **Block** elements are positioned **top to bottom**, never side by side. Remember that they are by definition surrounded by line breaks. They always occupy the **entire page width**.
- **Inline** elements are positioned **left-to-right**. All inline boxes on the same line are enclosed in a **line box**. **Anonymous inline boxes** are generated for text. Applying margins, paddings, etc to inline boxes is tricky.
- Detailed information on static positioning is found at http://www.w3.org/wiki/CSS_static_and_relative_positioning

Fixed Positioning

- An element with fixed position is **anchored** relative to the browser window.
- The position is decided with **top**, **bottom**, **left**, and **right** properties.
- Fixed elements **do not move** when the window is scrolled.
- Fixed elements may **overlap** other elements.

Relative Positioning

- An element with relative position is first laid out like a static element. Then the generated box is **shifted** according to the **top**, **bottom**, **left** and **right** properties.
- It is only the generated box that is shifted. The **element still remains** where it was in the static document flow. That's where it takes up space and affects positioning of other elements.
- Relative elements may **overlap** other elements.
- Detailed information on relative positioning is found at
[http://www.w3.org/wiki/
CSS_static_and_relative_positioning](http://www.w3.org/wiki/CSS_static_and_relative_positioning)

Relative Positioning Example

```
h2.pos_left {  
  position: relative;  
  left: -20px;  
}  
  
h2.pos_top {  
  position: relative;  
  top: 50px;  
}
```

```
<h2>Heading with no position</h2>  
<h2 class="pos_left">  
  This element has class  
  h2.pos_left</h2>  
<h2 class="pos_top">  
  This element has class  
  h2.pos_top</h2>  
<p>Relative positioning moves an  
element RELATIVE to its original  
position...</p>
```

Heading with no position

This element has class h2.pos_left

This element has class h2.pos_top
Relative positioning moves an element RELATIVE to its original position. Relative positioning moves an element RELATIVE to its original position. Relative positioning moves an element RELATIVE to its original position. Relative positioning moves an element RELATIVE to its original position. Relative positioning moves an element RELATIVE to its original position. Relative positioning moves an element RELATIVE to its original position.

Absolute Positioning

- An element with **absolute** position is positioned **relative** to the first parent element that has a position **other than static**. If no such element is found, the containing block is `<html>`.
- Absolute elements are **removed from the normal flow**. The document and other elements behave like the absolute element does not exist.
- Absolute elements may **overlap** other elements.

Absolute Positioning Example

```
.container {  
    position: relative;  
}  
  
h2.pos_left {  
    position: relative;  
    left: -20px;  
}  
  
h2.pos_top {  
    position: absolute;  
    top: 80px;  
}
```

```
<h2>Heading with no position</h2>  
<h2 class="pos_left">  
    This element has class  
    h2.pos_left</h2>  
<div class="container">  
    <h2 class="pos_top">  
        This element has class  
        h2.pos_top</h2>  
    <p>Relative positioning moves an  
        element RELATIVE to ...</p>  
</div>
```

Heading with no position

This element has class h2.pos_left

Relative positioning moves an element RELATIVE to its original position. Relative positioning moves an element RELATIVE to its original position. Relative positioning moves an element RELATIVE to its original position. Relative positioning moves an element RELATIVE to its original position. Relative positioning moves an element RELATIVE to its original position. Relative positioning moves an element RELATIVE to its original position.

This element has class h2.pos_top

Overlapping Elements

- The **z-index** property specifies the **stack order** of overlapping elements.
- The value is a positive or negative **number**:
z-index: -1;
- An element with greater stack order is always in front of an element with lower stack order.
- If **z-order** is not specified, the element positioned last in the HTML code is on top.

Floating

- A floating element is **pushed to the left or right**. Elements can not float up or down.
- Elements before the floating element are not affected. Elements after the floating element flows around it.
- Floating elements after each other float **next to each other** if there is enough space horizontally.
- This means we can have block level elements **beside** each other!
- Floating is specified with the **float** property. Possible values are **left**, **right** and **none** (default).


Turning off Float

- The **clear** property specifies sides of an element where floating elements are **not allowed**.
- Possible values are **left, right, both, none**.

Float Example

```
p{  
  width: 100px;  
  height: 100px;  
  float: left;  
}  
  
p#red{  
  background-color: red;  
}  
  
p#blue{  
  background-color: blue;  
}
```

```
<p id="red">  
  This is a paragraph</p>  
<p id="blue">  
  This is a paragraph</p>
```



Clear Example


```
p{
  width: 100px;
  height: 100px;
  float: left;
}

p#red{
  background-color: red;
}

p#blue{
  background-color: blue;
}

p#green{
  background-color: green;
  clear: left;
}
```

```
<p id="red">
  This is a paragraph</p>
<p id="blue">
  This is a paragraph</p>
<p id="green">
  This is a paragraph</p>
```



Aligning Block Elements

- Now we have seen all properties used for layout.
- Since they are quite **low level**, a lot of experimenting might be needed to achieve an acceptable result.
- An often faced problem is how to **align block elements**. Some possible solutions to this are found at http://www.w3schools.com/css/css_align.asp

Crossbrowser Compatibility Issues

- Some browser, in particular old IE versions, may have **unexpected behaviour**.
- Always test the web site in all browsers you accept clients to use, and be prepared to spend a lot of time for this.
- It is **never** acceptable to test a web site in only one browser.
- Remember to add a **!DOCTYPE** declaration to all HTML documents.

Conflict Resolution

- A **conflict** occurs when there are two or more values for the same property on the same element.
- Possible sources of conflict:
 1. Conflicting values between **levels** of style sheets (inline, internal, external).
 2. **Within** one style sheet.
 3. **Inheritance** can cause conflicts.
 4. Property values from **document author** style sheets, **browser user** style sheets, and **browser default** style sheets.

Conflict Resolution (Cont'd)

- Resolution mechanisms:
 1. Precedence rules for style sheet **levels** (inline, internal, external).
 2. Precedence rules for style sheet **sources** (document author, user, browser vendor).
 3. Specificity of CSS selector used to set the property value
 4. Property value specifications can be marked to indicate their importance.

Conflict Resolution (Cont'd)

The browser **first collects all styles** from all sources. If there are conflicting values, the conflict is resolved as follows. This procedure is called the **cascade**.

1. Choose the value with **highest importance rank**. There are five ranks, higher number means more important.
5. Important declarations with user origin, e.g., `color: blue !important;`
4. Important declarations with author origin.
3. Normal declarations with author origin.
2. Normal declarations with user origin.
1. Browser defaults.



Conflict Resolution (Cont'd)

2. If there are still conflicts, choose the **more specific value**. Specificity is determined in the following order, with the more specific sources higher in the list.
 - **Inline** styles.
 - Selectors identified by **id**.
 - Selectors identified by **classes**, **attributes** or **pseudo-classes**.
 - Selectors identified by **element name**.
3. If there are still conflicts, choose the value that was **read last**.

If No Value Is Found

- A property that misses a value after the cascade **inherits** the value from the **closest parent** that has the value set.
- A property that still misses a value is assigned the property's default value.

Always Use A Reset Style Sheet

- Different browsers have different default style sheets, therefore they will **display the same page differently**.
- This makes it **difficult** to create a design that looks good in all browsers.
- The solution is to always use a **reset style sheet**, that removes the browser's default values.
- Many reset sheets can be found on the web. There is one example on the course web site.

Responsive Design

- A responsive web page **adapts to the screen resolution** on which it is displayed.
- To adapt to the current resolution, the web page might change font size, size of images, number of columns, remove headers, change menu layout, etc.

Responsive Design (Cont'd)

- Responsive design is a very good practice that we should always strive for.
- It is very annoying for the user if the page has a fixed layout.
 - On big screens it will only occupy a small part of the available space.
 - On small screens the user will be forced to scroll back and forth across the page.

Media Queries

- The enabling technique for responsive design is CSS3 **media queries**:

```
@media only screen and (max-width: 480px) {  
    /*  
        CSS rules that are used for screens  
        narrower than 480 pixels.  
    */  
}
```

- The media query starts with **@media**.
- Next is the **media type** for which the rules shall apply. **only screen** means the rules will not apply to printouts.
- Then comes the **media features** for which the rules shall apply. In this example, the rules will apply to screens narrower than 480 px.

Use Columns

- There are many approaches to responsive design and many ways to use media queries.
- The chat and cache simulator examples use the method described at <http://www.responsivegridsystem.com/>
- The idea is to
 1. Split the page in a number of **columns**.
 2. **Distribute all elements** into the columns.
 3. Depending on screen resolution, decide **how many columns** to use.
 - When more columns are used, more elements will go beside each other.
 - When fewer columns are used, elements will stack on top of each other instead of beside.

Be Relative

- Other tips are:
 - Avoid fixed positioning.
 - Use relative units, such as **em** and percentage.
 - Consider removing elements, for example headers, at low resolution.
 - Replace navigation toolbars with pop-up menus.