

DD2457 Program Semantics and Analysis 6.0 credits

Programsemantik och programanalys

This is a translation of the Swedish, legally binding, course syllabus.

If the course is discontinued, students may request to be examined during the following two academic years

Establishment

Course syllabus for DD2457 valid from Autumn 2016

Grading scale

A, B, C, D, E, FX, F

Education cycle

Second cycle

Main field of study

Specific prerequisites

Single course students:

DD1337 Programming, DD1338 Algorithms and Data Structures, SF1630 Discrete Mathematics, DD1350 Logic for Computer Scienceor corresponding courses.

Language of instruction

The language of instruction is specified in the course offering information in the course catalogue.

Intended learning outcomes

The overall aim of the course is to study the main semantic styles used for capturing the meaning of programs in a formal way, namely operational semantics, denotational semantics and axiomatic semantics, compare their strengths and weaknesses, and use these semantics for program analysis, optimisation and verification, both in theory and as a basis for software tools.

The successful student will be able to perform constructions such as:

* Construct the state space of a program as a basis for program behaviour analysis through state space exploration.

* Translate programs to abstract machine code, and execute the latter.

* Compute the denotation of a program.

* As above, but in abstract domains.

* Extend a programming language with new language features, and extend its semantics and abstract machine implementations accordingly.

* Suggest and justify program transformations supported by a suitable program analysis.

* Specify and verify programs in Hoare logic.

* Generate verification conditions from a program with annotated while loops.

as well as be able to formally establish results such as:

* Relate different semantic styles.

* Prove language properties such as determinism and termination.

* Show correctness of a given program transformation by proving equivalence of the original and the transformed program.

* Show properties of a given semantics.

For passing the course, a student has to demonstrate proficiency with problems of the first type; for the highest grade he/she has to be equally proficient at the remaining types of problems.

Course contents

* Part I. Operational Semantics and Language Implementation: natural semantics, structural operational semantics, abstract machines, correctness of language implementation.

* Part II. Denotational Semantics and Program Analysis: denotational semantics, fixed-point theory, program analysis and transformation.

* Part III. Axiomatic Semantics and Program Verification: axiomatic semantics, program specification and verification, weakest pre-conditions, verification condition generation.

Course literature

Nielson and Nielson "Semantics with Applications: An Appetizer", Springer-Verlag, 2007, ISBN: 978-1-84628-691-9.

Examination

- HEM1 Exercises, 2.0 credits, grading scale: P, F
- LAB1 Laboratory Work, 2.0 credits, grading scale: P, F
- TEN1 Examination, 2.0 credits, grading scale: A, B, C, D, E, FX, F

Based on recommendation from KTH's coordinator for disabilities, the examiner will decide how to adapt an examination for students with documented disability.

The examiner may apply another examination format when re-examining individual students.

In this course all the regulations of the code of honor at the School of Computer science and Communication apply, see: http://www.kth.se/csc/student/hederskodex/1.17237?l=en_UK.

Other requirements for final grade

- * LAB1 Laboratory work, 2,0 hp, grade: Pass/fail
- * HEM1 Exercises, 2,0 hp, grade: Pass/fail
- * TEN1 Examination, 2,0 hp, grade: A, B, C, D, E, FX, F

Ethical approach

- All members of a group are responsible for the group's work.
- In any assessment, every student shall honestly disclose any help received and sources used.
- In an oral assessment, every student shall be able to present and answer questions about the entire assignment and solution.